Labcorp Oklahoma, Inc. Test Directory

Zonisamide (Zonegran, Excegran)

Order Name: **ZONEGRAN**Test Number: 3653425
Revision Date: 12/12/2022

	METHO	DDOLOGY	LOINC CODE
Zonisamide (Zonegran, Excegran)		Enzyme Immunoassay	
IENTS			
Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
1 mL (0.4 mL)	Serum	Clot Activator (Red Top, No-Gel)	Room Temperature
1 mL (0.4 mL)	Plasma	Lithium Heparin (Dark Green Top / No-Gel)	Room Temperature
1 mL (0.4 mL)	Plasma	EDTA (Lavender Top)	Room Temperature
Specimen Type: Red-top tube, So barrier tubes is not recommended in drug level due to absorption ma Specimen Storage: Room Tempe Specimen Collection: Separate simmediately and transfer to a plast	odium heparin tube, Potassium-EDT, due to slow absorption of the drug by be clinically significant. erature tested immediately. serum from cells within 45 minutes of the cransport tube for shipment to the	y the gel. Depending on the specimen volunt for collection and transfer to a plastic transport laboratory.	ne and storage time, the decrease
	Specimen Volume (min) 1 mL (0.4 mL) 1 mL (0.4 mL) 1 mL (0.4 mL) Notes: 0.4 mL (Note: This volume Specimen Type: Red-top tube, Sobarrier tubes is not recommended in drug level due to absorption may Specimen Storage: Room Temper Specimen Collection: Separate simmediately and transfer to a plast	Enzym ENTS Specimen Volume (min) Specimen Type 1 mL (0.4 mL) Plasma 1 mL (0.4 mL) Plasma Notes: 0.4 mL (Note: This volume Does not allow for repeat testing) Specimen Type: Red-top tube, Sodium heparin tube, Potassium-EDT barrier tubes is not recommended due to slow absorption of the drug be in drug level due to absorption may be clinically significant. Specimen Storage: Room Temperature tested immediately. Specimen Collection: Separate serum from cells within 45 minutes of immediately and transfer to a plastic transport tube for shipment to the	Specimen Volume (min) Specimen Type Specimen Container 1 mL (0.4 mL) Serum Clot Activator (Red Top, No-Gel) 1 mL (0.4 mL) Plasma Lithium Heparin (Dark Green Top / No-Gel) 1 mL (0.4 mL) Plasma EDTA (Lavender Top) Notes: 0.4 mL (Note: This volume Does not allow for repeat testing) Specimen Type: Red-top tube, Sodium heparin tube, Potassium-EDTA, Lithium heparin tube DO NOT USE A GE barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volum in drug level due to absorption may be clinically significant.

GENERAL INFORMATION	
Expected TAT	2 - 4 days working day.
Performing Labcorp Test Code	007915
Notes	Labcorp Test Code: 007915
CPT Code(s)	80203
Lab Section	Reference Lab

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025