

Acyclovir Level Serum/Plasma

Order Name: **Acyclovir S/P**
Test Number: 6904733
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Acyclovir Level Serum/Plasma	Liquid Chromatography/Tandem Mass Spectrometry	9416-9

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.21 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	1 mL (0.21 mL)	Plasma	EDTA (Lavender Top)	Refrigerated
Instructions	<p>Specimen Type: Red-top tube or lavender-top (EDTA) tube Specimen Storage: Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 14 days Frozen up to 1 year Specimen Collection: No gel-barrier tubes. Serum or plasma should be separated from cells within two hours of venipuncture. Send serum or plastic in a plastic transport tube. Special Instructions: Testing referred to National Medical Services NMSPA#0158SP Specimen Stability: Ambient: 30 days, Refrigerated : 30 days, Frozen: 4 months</p>			

GENERAL INFORMATION

Expected TAT	11 - 15 days
Performing Labcorp Test Code	202121
Notes	Labcorp Test Code: 202121
CPT Code(s)	80375
Lab Section	Reference Lab