

Chlamydia trachomatis, Neisseria gonorrhoeae Swab - TMA

Order Name: **CT/GC Swab**

Test Number: 6910127

Revision Date: 04/03/2025

TEST NAME	METHODOLOGY	LOINC CODE
Chlamydia trachomatis Swab	Transcription-Mediated Amplification	43304-5
Neisseria gonorrhoeae Swab	Transcription-Mediated Amplification	43305-2
Specimen Source - Prompt	Prompt	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	Swab	Swab	APTIMA Multitest Swab kit	Refrigerated
Alternate 1	Swab	Swab	APTIMA Unisex Swab Collection kit	Refrigerated
Instructions	<p>Collect vaginal swab in APTIMA Multitest swab collection kit, or endocervical or male urethral swab, rectal and throat specimens in APTIMA Unisex Swab Specimen Collection kit.</p> <p>Place swab in Swab Specimen Transport Tube, break shaft off at scoreline then recap tube.</p> <p>Stability: Room Temperature 30 Days, Refrigerated 30 Days, Frozen: N/A</p> <p>Note: Multiple orders for different collection sites must be placed with collection times at least 1 minute apart to avoid duplication issues.</p>			

GENERAL INFORMATION	
Testing Schedule	Mon-Fri
Expected TAT	2-3 days
CPT Code(s)	87491, 87591
Lab Section	Molecular Diagnostic